
1
Start MS Outlook.
2
Loads Empty Inbox and ready for user Actions.
3
If user Switch from Inbox folder
No
A
Yes
4
Selects My Diary folder
5
Select Tasks folder
6
Selects Contacts folder
7
Selects Projects folder
8
Selects Notes folder
B
C
D
E
G

Figure 1


Reply/Reply to All/
Forward/Compose new mail
M
9
Select email addresses
10
Click Send to send this mail
11
Pops up form to take action with
Original Mail Item.
12
Ditch
Done
Select
Action
13
Deletes the Original Mail.
Move The original Mail to
Done Folder.
Skip
14
Stop
15

Figure 2


16
A
In reference to
Inbox Lv11.dll (1st Lvl)
And Inbox Lv21.dll (2st Lvl)
Select any Option from Inbox4D
17
Ditch It
18
Deal With It Now
19
Delegate It
20
Decide What to do With it
21
Deletes Selected Mail Item
22
Select Reply/Reply All
U
23
Stop
24
New work Menus
Mail Opens With Reply or fwd Functionality (Inbox 3d Level)
25
M
N

Figure 3


26
U
Select Any Submenu from Decide What to Do With Mail
27
File As Done
32
Moves Selected Mail Item to Done Folder
33
28
Record new Note Or Idea
Creates A New Note Item.
37
Copies Current Mail body to This Note
29
Create A Task
Creates A New Task.
34
30
Send To Watch list
Creates A New Task. 35
Set Task Priority Low
38
31
File A Mail With Task/ App/Conta ct/Project.
F
Schedule An Appointment
36
Creates A New Appoint ment
39
41
Attach Current Mail Item to This Task Item
42
Attach Current Mail Item to This Appointment Item
40
Stop
T
T

Figure 4


T
43
Select Save and Close to save this Item..
44
Pops up form to take action with Original Mail Item.
45
Ditch
Done
Select Action
Deletes the Original Mail.
Move The original Mail to Done Folder.
Skip
46
47
48
Stop

Figure 5


F
Displays the dialog for re-label of Subject of selected mail which is being attached and then switches to respected folder
49
Opens Task/Appointment/Contact or Project Item as per user action.
50
Attaches The mail Item (for which file with action has been taken)with this newly opened Item.
51
Select Save and Close to save this Item.
52
Pops up form to take action with Original Mail Item.
53
Ditch
54
Done
Select Action
55
56
Deletes the Original Mail.
Move The original Mail to Done Folder.
Skip
57
Stop

Figure 6


N
58
59
60
61
Select New Idea or Note
Select New work Contact
Select New Work Project
Select New Work Personal
62
63
Opens a New Note Item.
Select New Contact Menu
P
67
Select Open An Existing Contact
Opens A New Contact Item
Select Open An Existing Project
Select New Project Menu.
64
65
66
Opens A New Project Item
68
69
70
This will switch current folder to Contact folder and shows the pop up to search a Existing contact.
This will switch current folder to Contact folder and shows the pop up to search a Existing contact.
71
Stop

Figure 7


P
72
73
74
75
Create A Task
Assign A New Task
Plan A Meeting
Send An Email
76
77
78
Creates A new Task
Place Item on Watch List
Schedule A New Appointment
Creates a new task in assign mode
Creates a new task with low priority
Creates A New Appointment
79
80
81
Creates A New Appointment With Invite Others functionality
82
Creates New Mail Item
83
84
Stop

Figure 8


B
In reference to
Calendar Lv11.dll (1st Lvl)
And Calendar Lv21.dll (2st Lvl)
85
Select Option from Appointment4D
86
87
88
89
Ditch It
Deal With It Now
Delegate It
Decide What to do With it
90
91
Deletes the selected Appointment Item
Opens the selected Appointment Item
V
92
New work Menus
93
Opens a new mail Item With the current appointment as an Attachment to Mail
M
Stop
94

Figure 9


V
95
Opens Task/ Contact/ Project Item as per user action.
96
Attaches The Appointment Item (for which file with action has been taken)with this newly opened Item.
97
Select Save and Close to save this Item..
98
Stop

Figure 10


C
In reference to
Task Lv11.dll (1st Lvl)
And Task Lv21.dll (2st Lvl)
99
Select any Option from Task4D
100
101
102
103
Ditch It
Deal With It Now
Delegate It
Decide What to do With it
104
105
Delets the selected Task Item
Opens the selected Task Item
W
107
New work Menus
108
Opens a new mail Item With the current Task as an Attachment to Mail
M
Stop

Figure 11


W
109
Opens Appointment/ Contact/ Project Item as per user action.
110
Attaches The Appointment Item (for which file with action has been taken)with this newly opened Item.
111
Select Save and Close to save this Item..
112
Stop

Figure 12


D
In reference to
ContactLv11.dll (1st Lvl)
And ContactLv21.dll (2st Lvl)
113
Select any Option from Contact4D
114
115
116
117
Ditch It
Deal With It Now
Delegate It
Decide What to do With it
118
119
Deletes the selected Contact Item
Opens the selected Contact Item
X
120
New work Menus
121
Opens a new mail Item With the current Contact as an Attachment to Mail
M
122
Stop

Figure 13


X
123
Opens Appointment/Task/ /Project Item as per user action.
124
Attaches The Contact Item (for which file with action has been taken)with this newly opened Item.
125
Select Save and Close to save this Item..
126
Stop

Figure 14


E
In reference to
ProjectLv11.dll (1st Lvl)
And ProjectLv21.dll (2st Lvl)
127
Select any Option from Project4D
128
129
130
131
Ditch It
Deal With It Now
Delegate It
Decide What to do With it
Delets the selected Project Item
Opens the selected Project Item
Y
134
133
132
New work Menus
135
Opens a new mail Item With the current Project as an Attachment to Mail
M
136
Stop

Figure 15


Y
137
Opens Appointment/Task/ Contact Item as per user action.
138
Attaches The Project Item (for which file with action has been taken)with this newly opened Item.
139
Select Save and Close to save this Item..
140
Stop

Figure 16


G
In reference to NotesLv11.dll (1st Lvl)
141
Select any Option from Notes4D
142
143
144
145
Ditch It
Deal With It Now
Delegate It
Decide What to do With it
Deletes the selected Note Item
Opens the selected Note Item
Z
149
147
New work Menus
146
148
Opens a new mail Item With the current Note as an Attachment to Mail
M
150
Stop

Figure 17


Z
151
Opens Appointment/Task/ Contact/ Project Item as per user
152
Attaches The Note Item (for which file with action has been taken) with this newly opened Item.
153
Select Save and Close to save this Item..
154
Stop

Figure 18

Component Name	Class Name
EmptyInbox.dll	CAddin
InboxLv11.dll	CTInboxL11
InboxLv12.dll	CTInboxL12
CalendarLv11.dll	CTCalendarL11
CalendarLv12.dll	CTCalendarL12
ContactLv11.dll	CTContactL11
ContactLv12.dll	CTContactL12
TaskLv11.dll	CTTaskL11
TaskLv12.dll	CTTaskL12
ProjectLv11.dll	CTProjectL11
ProjectLv12.dll	CTProjectL12
NotesLv11.dll	CTNotesL11
NotesLv12.dll	CTNotesL12
InboxLv21.dll	CTInboxL21
InboxLv22.dll	CTInboxL22
CalendarLv21.dll	CTCalendarL21
CalendarLv22.dll	CTCalendarL22
ContactLv21.dll	CTContactL21
ContactLv22.dll	CTContactL22
TaskLv21.dll	CTTaskL21
TaskLv22.dll	CTTaskL2
ProjectLv21.dll	CTProjectL21
ProjectLv22.dll	CTProjectL22
InboxLv31.dll	CTInboxL31
InboxLv32.dll	CTInboxL32
TaskLv31.dll	CTInboxL31
TaskLv32.dll	CTInboxL32

Figure 19

Class Name	Interface Name	Base Interface	Member Variable	Member Functions	Member Function Description
CAddin	IAddin	IDispatch _IDTExtendibility2	1)Outlook:: Application m_olApp; 2)Outlook:: Explorer m_Explorer; 3) Outlook::MAPIFolder m_ProjectFolder m_DoneFolder 4)struct tagUndo M_Undo 5)int m_IsMail m_IsProject, m_IsLowTask 6) long m_TaskType 7) char * m_ActionWord	HRESULT Invoke(DISPID dispidMember,REFIID riid,LCID lcid, WORD wFlags,DISPPARAMS* pDispParams,VARIANT * pvarResult, EXCEPINFO*pExcepInfo, UINT* puArgErr) CheckFolder() AddShortcutbar() IsLevel3(IDispatch *Insp)	This method get called when user changes the folder or opens new Item This Method checks for Done and Project Folder and if not found creates those folder Created new Shortcut bar called Empty Inbox Checkes whether the opening level

Figure 20A

				1)SetInboxLv1Bars(IDispatch *spBars)	is level 2 or level 3 Attaches toolbar for Inbox Level1
				2)SetInboxLv2Bars(IDispatch *spBars)	Attaches toolbar for Inbox Level2
				3)SetCalendarLv1Bars(IDispatch *spBars)	Attaches toolbar for calendar Level1
				4)SetCalendarLv2Bars(IDispatch *spBars)	Attaches toolbar for calendarLevel 2
				3)SetContactLv1Bars(IDispatch *spBars)	Attaches toolbar for contact Level1
				4)SetContactLv2Bars(IDispatch *spBars)	Attaches toolbar for contact Level2

Figure 20B

				5)SetTaskLv1Bars(IDispatch *spBars)	Attaches toolbar for Task Level1
				6)SetTaskLv2Bars(IDispatch *spBars)	Attaches toolbar for task Level2
				7)SetProjectLv1Bars(IDispatch *spBars)	Attaches toolbar for project Level1
				8)SetProjectLv2Bars(IDispatch *spBars)	Attaches toolbar for Project level 2
				9)SetNotesLv1Bars(IDispatch *spBars)	Attaches toolbar for Notes Level1
CTInboxL11	ITInboxL11	IDispatch	1)Outlook:: Application m_olApp; 2)Outlook:: Explorer m_Explorer; 3)Outlook::_CommandBars m_CmdBars;	1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolbar)	Creating a new Command Bar to the Outlook. Adding Controls to the Specified

Figure 20C

			4)Outlook::CommandBar m_NewBar; 5)Office::_CommandBarButton m_cmdBtnReply, m_cmdBtnReplyAll, m_cmdBtnDelegate, m_cmdBtnAssignTask, m_cmdBtnDone, m_cmdBtnCreateTask, m_cmdBtnScheduleAppt, m_cmdBtnWatchlist, m_cmdBtnMakeNote, m_cmdBtnFileWithAppt, m_cmdBtnFileWithTask, m_cmdBtnFileWithContact, m_cmdBtnFileWithProject, m_cmdBtnNewTask, m_cmdBtnNewAssignTask, m_cmdBtnNewAppt, m_cmdBtnNewMeeting, m_cmdBtnNewMail, m_cmdBtnNewWatchList, m_cmdBtnNewContact, m_cmdBtnNewProject, m_cmdBtnOpenContact, m_cmdBtnOpenProject.		Commandbar.

Figure 20D

CTInboxL12	ITInboxL12	IDispatch	1)Outlook:: Application m_olApp; 2)Outlook:: Explorer m_Explorer; 3)Outlook::_CommandBars m_CmdBars; 4)Outlook::CommandBar m_NewBar;	1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolbar)	Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.
CTCalendarL11	ITCalendarL11	IDispath	1)Outlook:: Application m_olApp; 2)Outlook:: Explorer m_Explorer; 3)Outlook::_CommandBars m_CmdBars; 4)Outlook::CommandBar m_NewBar; 5)Office::_CommandBarButton m_cmdBtnFileWithTask, m_cmdBtnFileWithContact,	1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolbar)	Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.

Figure 20E

			m_cmdBtnFileWithProject, m_cmdBtnNewTask, m_cmdBtnNewAssignTask, m_cmdBtnNewAppt, m_cmdBtnNewMeeting, m_cmdBtnNewMail, m_cmdBtnNewWatchList, m_cmdBtnNewContact, m_cmdBtnNewProject, m_cmdBtnOpenContact, m_cmdBtnOpenProject.		
CTCalendarL12	ITCalendarL12	none	1)Outlook:: Application m_olApp; 2)Outlook:: Explorer m_Explorer; 3)Outlook::_CommandBars m_CmdBars; 4)Outlook::CommandBar m_NewBar;	1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolbar)	Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.
CTContactL11	ITContactL11	IDispath	1)Outlook:: Application m_olApp; 2)Outlook:: Explorer	1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar)	Creating a new Command Bar to the

Figure 20F

			m_Explorer; 3)Outlook::_CommandBars m_CmdBars; 4)Outlook::CommandBar m_NewBar; 5)Office::_CommandBarButton m_cmdBtnFileWithTask, m_cmdBtnFileWithAppt, m_cmdBtnFileWithProject, m_cmdBtnNewTask, m_cmdBtnNewAssignTask, m_cmdBtnNewAppt, m_cmdBtnNewMeeting, m_cmdBtnNewMail, m_cmdBtnNewWatchList, m_cmdBtnNewContact, m_cmdBtnNewProject, m_cmdBtnOpenContact, m_cmdBtnOpenProject.	2)AddControls(IDispatch *pToolbar)	Outlook. Adding Controls to the Specified Commandbar.
CTContactL12	ITContactL12	IDispath	1)Outlook:: Application m_olApp; 2)Outlook:: Explorer m_Explorer; 3)Outlook::_CommandBars m_CmdBars;	1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolbar)	Creating a new Command Bar to the Outlook. Adding Controls to

Figure 20G

			4)Outlook::CommandBar m_NewBar;		the Specified Commandbar.
CTTask L11	ITTaskL11	IDispath	1)Outlook:: Application m_olApp; 2)Outlook:: Explorer m_Explorer; 3)Outlook::_CommandBars m_CmdBars; 4)Outlook::CommandBar m_NewBar; 5)Office::_CommandBarButton m_cmdBtnFileWithAppt, m_cmdBtnFileWithContact, m_cmdBtnFileWithProject, m_cmdBtnNewTask, m_cmdBtnNewAssignTask, m_cmdBtnNewAppt, m_cmdBtnNewMeeting, m_cmdBtnNewMail, m_cmdBtnNewWatchList, m_cmdBtnNewContact, m_cmdBtnNewProject, m_cmdBtnOpenContact, m_cmdBtnOpenProject.		Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.

Figure 20H

CTTaskL12	ITTaskL12	IDispath	1)Outlook::_Application m_olApp; 2)Outlook::_Explorer m_Explorer; 3)Outlook::_CommandBars m_CmdBars; 4)Outlook::CommandBar m_NewBar;	1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolbar)	Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.
CTProjectL11	ITProjectL11	IDispath	1)Outlook::_Application m_olApp; 2)Outlook::_Explorer m_Explorer; 3)Outlook::_CommandBars m_CmdBars; 4)Outlook::CommandBar m_NewBar; 5)Office::_CommandBarButton m_cmdBtnFileWithTask,	1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolbar)	Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.

Figure 20I

			m_cmdBtnFileWithContact, m_cmdBtnFileWithAppt, m_cmdBtnNewTask, m_cmdBtnNewAssignTask, m_cmdBtnNewAppt, m_cmdBtnNewMeeting, m_cmdBtnNewMail, m_cmdBtnNewWatchList, m_cmdBtnNewContact, m_cmdBtnNewProject, m_cmdBtnOpenContact, m_cmdBtnOpenProject.		
CTProjectL12	ITProjectL12	IDispath	1)Outlook:: Application m_olApp; 2)Outlook:: Explorer m_Explorer; 3)Outlook::_CommandBars m_CmdBars; 4)Outlook::CommandBar m_NewBar;	1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolbar)	Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.
CTNotesL11	ITNotesL11	IDispath	1)Outlook:: Application m_olApp;	1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name	Creating a new Command

Figure 20J

			2)Outlook:: Explorer m_Explorer; 3)Outlook::_CommandBars m_CmdBars; 4)Outlook::CommandBar m_NewBar; 5)Office::_CommandBarButton m_cmdBtnFileWithAppt, m_cmdBtnFileWithProject m_cmdBtnFileWithTask, m_cmdBtnFileWithContact, m_cmdBtnNewTask, m_cmdBtnNewAssignTask, m_cmdBtnNewAppt, m_cmdBtnNewMeeting, m_cmdBtnNewMail, m_cmdBtnNewWatchList, m_cmdBtnNewContact, m_cmdBtnNewProject, m_cmdBtnOpenContact, m_cmdBtnOpenProject.	,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolbar)	Bar to the Outlook. Adding Controls to the Specified Commandbar.
CTNotesL12	ITNotesL12	IDispath	1)Outlook:: Application m_olApp; 2)Outlook:: Explorer	1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar)	Creating a new Command Bar to the

Figure 20K

			m_Explorer; 3)Outlook::_CommandBars m_CmdBars; 4)Outlook::CommandBar m_NewBar;	2)AddControls(IDispatch *pToolbar)	Outlook. Adding Controls to the Specified Commandbar.

Table for second level

Class Name	Interface Name	Base Interface	Member Variable	Member Functions	Member Function Description
CTInboxL21	ITInboxL21	IDispatch	1)Outlook:: Application m_olApp; 2)Outlook:: Explorer m_Explorer; 3)Outlook::_CommandBars m_CmdBars;	1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolbar)	Creating a new Command Bar to the Outlook. Adding Controls to

Figure 20L

			4)Outlook::CommandBar m_NewBar; 5)Office::_CommandBarButton m_cmdBtnReply, m_cmdBtnReplyAll, m_cmdBtnDelegate, m_cmdBtnAssignTask, m_cmdBtnDone, m_cmdBtnCreateTask, m_cmdBtnScheduleAppt, m_cmdBtnWatchlist, m_cmdBtnMakeNote, m_cmdBtnFileWithAppt, m_cmdBtnFileWithTask, m_cmdBtnFileWithContact, m_cmdBtnFileWithProject,		the Specified Commandbar.
CTInboxL22	ITInboxL22	IDispatch	1)Outlook:: Application m_olApp; 2)Outlook:: Explorer m_Explorer; 3)Outlook::_CommandBars m_CmdBars; 4)Outlook::CommandBar m_NewBar;	1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolbar)	Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.

Figure 20M

CTCalendarL21	ITCalendarL21	IDispath	1)Outlook:: Application m_olApp; 2)Outlook:: Explorer m_Explorer; 3)Outlook::_CommandBars m_CmdBars; 4)Outlook::CommandBar m_NewBar; 5)Office::_CommandBarButton m_cmdBtnFileWithTask, m_cmdBtnFileWithContact, m_cmdBtnFileWithProject,	1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolbar)	Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.
CTCalendarL22	ITCalendarL22	none	1)Outlook:: Application m_olApp; 2)Outlook:: Explorer m_Explorer; 3)Outlook::_CommandBars m_CmdBars; 4)Outlook::CommandBar m_NewBar;	1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolbar)	Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.

Figure 20N

CTContactL21	ITContactL21	IDispath	1)Outlook:: Application m_olApp; 2)Outlook:: Explorer m_Explorer; 3)Outlook::_CommandBars m_CmdBars; 4)Outlook::CommandBar m_NewBar; 5)Office::_CommandBarButton m_cmdBtnFileWithTask, m_cmdBtnFileWithAppt, m_cmdBtnFileWithProject,	1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolbar)	Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.
CTContactL22	ITContactL22	IDispath	1)Outlook:: Application m_olApp; 2)Outlook:: Explorer m_Explorer; 3)Outlook::_CommandBars m_CmdBars; 4)Outlook::CommandBar m_NewBar;	1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolbar)	Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.

Figure 20O

CTTaskL21	ITTaskL21	IDispath	1)Outlook:: Application m_olApp; 2)Outlook:: Explorer m_Explorer; 3)Outlook::_CommandBars m_CmdBars; 4)Outlook::CommandBar m_NewBar; 5)Office::_CommandBarButton m_cmdBtnFileWithAppt, m_cmdBtnFileWithContact, m_cmdBtnFileWithProject,		Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.
CTTaskL22	ITTaskL22	IDispath	1)Outlook:: Application m_olApp; 2)Outlook:: Explorer m_Explorer; 3)Outlook::_CommandBars m_CmdBars; 4)Outlook::CommandBar m_NewBar;	1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolbar)	Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.

Figure 20P

CTProjectL21	ITProjectL21	IDispath	1)Outlook:: Application m_olApp; 2)Outlook:: Explorer m_Explorer; 3)Outlook::_CommandBars m_CmdBars; 4)Outlook::CommandBar m_NewBar; 5)Office::_CommandBarButton m_cmdBtnFileWithTask, m_cmdBtnFileWithContact, m_cmdBtnFileWithAppt,	1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolbar)	Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.
CTProjectL22	ITProjectL22	IDispath	1)Outlook:: Application m_olApp; 2)Outlook:: Explorer m_Explorer; 3)Outlook::_CommandBars m_CmdBars;	1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolbar)	Creating a new Command Bar to the Outlook. Adding Controls to the Specified

Figure 20Q

			4)Outlook::CommandBar m_NewBar;		Commandbar.

Table for third level

Class Name	Interface Name	Base Interface	Member Variable	Member Functions	Member Function Description
CTInboxL31	ITInboxL31	IDispatch	1)Outlook::_Application m_olApp; 2)Outlook::_Explorer m_Explorer; 3)Outlook::_CommandBars m_CmdBars; 4)Outlook::CommandBar m_NewBar; 5)Office::_CommandBarButton	1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolbar)	Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.

Figure 20R

CTInboxL32	ITInboxL32	IDispatch	1)Outlook:: Application m_olApp; 2)Outlook:: Explorer m_Explorer; 3)Outlook::_CommandBars m_CmdBars; 4)Outlook::CommandBar m_NewBar;	1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolbar)	Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.
CTTaskL31	ITTaskL31	IDispath	1)Outlook:: Application m_olApp; 2)Outlook:: Explorer m_Explorer; 3)Outlook::_CommandBars m_CmdBars; 4)Outlook::CommandBar m_NewBar; 5)Office::_CommandBarButton m_cmdBtnFileWithAppt, m_cmdBtnFileWithContact, m_cmdBtnFileWithProject,		Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.

Figure 20S

CTTaskL32	ITTaskL32	IDispath	1)Outlook::_Application m_olApp; 2)Outlook::_Explorer m_Explorer; 3)Outlook::_CommandBars m_CmdBars; 4)Outlook::CommandBar m_NewBar;	1)STDMETHODIMP CreateToolbar(IDispatch *OlApp, BSTR Name ,IDispatch** pNewBar) 2)AddControls(IDispatch *pToolbar)	Creating a new Command Bar to the Outlook. Adding Controls to the Specified Commandbar.

Figure 20T


Inbox - Microsoft Outlook
Shortcuts
EMPTY INBOX!
Inbox
My Diary
Contacts
Tasks
Projects
Notes & Ideas
Sent Items
Done
Done 2004
Add New Group
Add New Shortcut
Mail
Calendar
Contacts
Tasks
Notes
Folder List
Shortcuts
11 Items
Inbox
Arranged By: Date
Newest on top
Today
MitchCybulski@aol.com 2:03 AM
Fwd: David
Garethweed@aol.com 1:31 AM
Trevor Lee - Australia - Questions
Yesterday
Olavatth, Latha Tue 6:21 PM
Service Brief - Draft
Faundez, Kathryn Tue 5:00 PM
FW: Banking Coordinates Information & Confirmation6
Faundez, Kathryn Tue 7:55 AM
VeriCAN Preparation
Monday
Castro, Ruby Mon 11:09 AM
FW: Banking Coordinates Information & Confirmation6
Last Week
Hugh Terry Sun 11:10 PM
Other ideas
Hugh Terry Sun 10:13 PM
Our agreement
Cary, Brad Sat 1/29
Project Plan template and sample project plans
Cary, Brad Sat 1/29
Compensation Structure Ranges Change
Hugh Terry Sat 1/29
Telco/ISP Distribution
Fwd: David
MitchCybulski@aol.com
To: sdbames@emigra.com
Attachments: Re: David (5 KB)
This email has been scanned for all viruses by the MessageLabs SkyScan service.

Figure 21


Calendar - Microsoft Outlook
Shortcuts
Calendar
February 02, 2005
Wednesday, February 02
Meeting: Murrey
TaskPad
Priority: Normal (3 items)
Plan: RE: Manuals
Prepare Screen Bumps Paul Feng/Review Y1 Description
Write: Story Board EIB
Priority: Low (36 items)
Consider: Senior Management Meeting Answers
Defer: Alcoa - January
Defer: Channel 10 Exposure
Defer: Payment Robert Walters
Develop: Barney Priorities
Due: UK Inbound Fee Scale ex Brad
Due: 70 Metre Superyacht - Gareth
Due: Australian VisION Finalization
Due: Contract - Jerry
Due: Decision - Shipment of Display to Brazil
Due: Emigra Asia On Line Office Manual and Policy for Updating
Due: Far East Representation Cuprotect
Due: Floating Hotel Project Response
Due: Hewitt Response
Call: James
2 Items

Figure 22


Commercial Kitchen Systems - Project
General
Main Contact
Details
Activities
Certificates
All Fields
Project Name:
Commercial Kitchen Systems
Created On:
8/11/2004 2:15:43 PM
Last Accessed:
2/2/2005 11:52:19 AM
Main Email Recipients for this Project
To:
brad@comkit.com.au
Cc:
Bcc:
Comments:
Send An Email
Create A Task
Schedule An Appointment
Post
Resources:
Posted Comments:
Edit
Refferal from Shane Crookes (Chooks)
Lee Gornall- 28 Aug2004 11:10:34 AM
Call today appointment booked for tuesday 1pm
Lee Gornall- 28 Aug2004 11:32:49 AM
Appointment with EMPTY INBOX!
Meeting: Brad Cassidy (Commer...
Related to....
Categories...
Private
start

Figure 24


Fwd: David - Message (HTML)
Type a question for help
Previous Mail
Next Mail
Edit this Mail
Copy
Paste
Undo
Save & Close
Ditch It
Deal It With Now
Delegate It
Decide What to Do With It
New Note or Idea
From: MitchCybulski@aol.com
To: sdbarnes@emigre.com
Cc:
Subject: Fwd: David
Attachments: Re: David (5 KB)
Sent: Wed 2/2/2005 2:01 AM
This email has been scanned for all viruses by the
File As "Done"
Create A Task
Schedule An Appointment
Send to Watch List
Record An Idea or Make a Note
File With An Existing Appointment
File With An Existing Task
File With An Existing Contact
File With An Existing Project
start
Address

Figure 23


Calendar - Microsoft Outlook
Shortcuts
Calendar
Create A Task
Assign A New Task
Schedule A New Appointment
Plan A Meeting
Send An Email
Place New Item on Watch List
February 02, 2005
TaskPad
Priority: Normal (3 items)
Plan: RE: Manuals
Prepare: Screen Dumps Paul Fong/Review V1 Description
Write: Story Board EIB
Priority: Low (36 items)
Consider: Senior Management Meeting Answers
Defer: Alcoa - January
Defer: Channel 10 Exposure
Defer: Payment Robert Walters
Develop: Barney Priorities
Due: UK Inbound Fee Scale ex Brad
Due: 70 Metre Superyacht - Gareth
Due: Australian VisION Finalization
Due: Contract - Jerry
Due: Decision - Shipment of Display to Brazil
Due: Emigra Asia On Line Office Manual and Policy for Updating
Due: Far East Representation Cuprotect
Due: Floating Hotel Project Response
Due: Hewitt Response
Meeting: Murray
Call: James
Add New Group
Add New Shortcut
2 Items

Figure 25